

e^ccue

Sympho**link**

Intelligent Illumination for
a **Connected, Sustainable, and Adaptive** Future



TRAXON | e^ccue
MEMBER OF PROSPERITY GROUP



TRAXON | e2cue
MEMBER OF PROSPERITY GROUP

We are a global leader in lighting technology and lighting management systems

Sympho link

Architectural




Hong Kong

Landmark



Dubai

Bridges



Delhi

Smart cities



Tianjin

Stadiums And Arenas



Warsaw

Hospitality




Singapore

Our History

Sympho link



TRAXON | e:cue
MEMBER OF PROSPERITY GROUP



Award-Winning
Excellence


Global Knowledge,
Local Wisdom

Global
Landmark
Projects

Solution-Driven
Innovation

Full Spectrum
Lighting Management
System

Circular
Sustainability



TRAXON | e:cue
MEMBER OF PROSPERITY GROUP

Our Full Spectrum of Lighting Management Systems

SymphoLink

SymphoLink

A smart general lighting management system for indoor applications, built for future smart buildings.



SymphoLight

A powerful outdoor lighting management system designed to control dynamic façade and architectural illumination with precision and efficiency.



SymphoCity

A comprehensive smart management platform provides deep insight and control over all SymphoLight projects and future SymphoLink projects.

Our Full Spectrum of Lighting Management Systems

Sympho link

Sympho link

A smart general lighting management system for indoor applications, built for future smart buildings.



Sympho light

A façade lighting management system designed to control dynamic architectural lighting projects.



Sympho city

A comprehensive smart management platform provides deep insight and control over all Sympho light projects and future Sympho link projects.



Sympholink Introduction



Why Sympholink

Sympholink is a smart general lighting management system built for next-generation buildings.

Value Creation:



Data-Driven Lighting for Smarter Buildings



One System for Every Scale and Space



Sympholink

Why Sympholink



Data-Driven Lighting for Smarter Buildings

Supports **DALI-2 & D4i standards** over both wired and wireless connections, enabling real-time data transmission and future-proof integration.

Sympholink

What is D4i?

Data for Enhanced Asset Management & Performance Monitoring



- D4i (DALI for Intelligent) is an extension of DALI-2 certification.
- D4i enables DALI Inside intelligent, IoT-ready luminaires.
- All D4i LED drivers provide luminaire, energy & diagnostics data.



Part 251 – Luminaire Data



Part 252 – Energy Reporting



Part 253 – Diagnostics & Maintenance

Why Sympholink



Data-Driven Lighting for Smarter Buildings

Lighting is everywhere in the facility, and with a **comprehensive range of sensors** tailored for diverse applications, it enables seamless data flow and system-wide optimization from every angle

Sympholink




Why Sympholink



Data-Driven Lighting for Smarter Buildings

An IoT-ready architecture connects effortlessly with third-party systems via open API, unlocking full scalability and future AI integration.

Sympholink



Why Sympholink



One System for Every Scale and Space

Sympholink adapts to any scale, it ensures efficient management across your entire project.

Small Scale

Manage lighting in a single office

Medium Scale

Manage lighting in a single building


Large Scale

Manage lighting within multiple buildings



Sympholink Lite

- Zigbee Wireless Connectivity
- App-Based Control & Monitoring
- Easy upgrade to Sympholink system
- Full Hardware Reusability



Sympholink

Why Sympholink



One System for Every Scale and Space

Sympholink adapts to any scale, it ensures efficient management across your entire project.

Small Scale

Manage lighting in a single office

Medium Scale

Manage lighting in a single building

Large Scale

Manage lighting within multiple buildings



Sympholink

On-Premise Server



Sympholink



Why Sympholink



One System for Every Scale and Space

Sympholink adapts to any scale, it ensures efficient management across your entire project.

Small Scale

Manage lighting in a single office

Medium Scale


Manage lighting in a single building

Large Scale

Manage lighting within multiple buildings

Sympholink

Private Cloud Server



Sympholink



TRAXON | ecue
MEMBER OF PROSPERITY GROUP



Sympholink Software



Key Features

Sympho link



Beyond Lighting Management



Unified Management Platform



Smart & Friendly Interface



Predictive Maintenance



Insightful Energy Dashboard



Prompt Technical Support



Scalable System Design

Key Features

Sympho link



Beyond Lighting Management

- Lighting / Emergency / Environment Subsystems
- Advanced Monitoring & Smart Switching for Subsystems



Unified Management Platform



Smart & Friendly Interface



Predictive Maintenance



Insightful Energy Dashboard




Prompt Technical Support



Scalable System Design

Key Features | Beyond Lighting Management

SymphoLink



Control Keypads

and more

Lighting Subsystems



Emergency Subsystems



Environmental Subsystem




Key Features | Beyond Lighting Management

SymphoLink

Comprehensive Monitoring & Adaptive Switching

- Gain complete **oversight of subsystem** operations across every space and floor.
- Allows customized switching for more precise and efficient monitoring and control.



Key Features


Sympho link



Beyond Lighting Management



Insightful Energy Dashboard



Unified Management Platform

- Effortlessly Integrate Multiple Protocols Across Gateways.
- Seamlessly Connect with External Systems for a Unified Lighting Ecosystem.



Prompt Technical Support



Smart & Friendly Interface



Scalable System Design




Predictive Maintenance



Key Features | Unified Management Platform

Sympho link



API Connection

ASHRAE BACnet

BMS/CCMS

Fire Service System

HVAC

Parking System

..... and more

Control Distribution

DALI 2

DALI-2 Controller

Occupancy Sensor

Daylight Sensor

Light

Dali to phase Dim Converter

Light

Dali to 0-10V Converter

Light

Zigbee Gateway

zigbee

Light

Temperature and Humidity Sensor

Water Leakage Sensor

Smoke Sensor


Carbon Monoxide Sensor

Key Features

Sympho link



Beyond Lighting Management



Unified Management Platform



Smart & Friendly Interface

- Smart Floor Plan Integration for Efficient Device Setup
- Centralized Device Management for Seamless Control



Predictive Maintenance



Insightful Energy Dashboard



Prompt Technical Support




Scalable System Design



Key Features | Smart & Friendly Interface

Sympho link




Smart Floor Plan Integration for Efficient Device Setup

- Effortlessly **import** actual floor plans in **CAD**, PDF, JPG, or PNG formats
- Flexibly **drag and drop** function to create layouts and define custom-shaped zones for tailored configurations
- Set scale ratios to ensure accurate, proportional placement of devices based on the physical environment

Key Features | Smart & Friendly Interface

Sympho link



Centralized Device Management for Seamless Control


- **Real-time status** display for comprehensive oversight.
- Instant alerts for any equipment abnormalities within designated areas.
- Customized control and management for each zone's specific needs.

Key Features

Sympho link



Beyond Lighting Management



Unified Management Platform



Smart & Friendly Interface



Predictive Maintenance

- Real-time Monitoring And Early Warning
- Equipment Life Prediction
- Emergency Device Automated Testing



Insightful Energy Dashboard



Prompt Technical Support



Scalable System Design



Key Features | Predictive Maintenance

SymphoLink

Lighting and Devices Lifespan Overview

Light Source Type	Brand	Model	Expected Lifespan (day)	Remaining Lifespan (h)	Advance Warning (h)	Action
Downlight	Osram LEDVANCE	DL CMFT FRAME D100 WT	3650 day	87600	240	Edit Delete
Panel Luminaires	Osram LEDVANCE	BIOLUX PL 600S40W TW D...	3650 day	87600	240	Edit Delete
Linear Magnetic Ballast	Osram LEDVANCE	LN MAG BATTEN TS 568	3650 day	85440	240	Edit Delete
Trunking systems	Osram LEDVANCE	TRUBSYS FLEX P30W840VW...	3650 day	87600	240	Edit Delete
Damp-proof Luminaires	Sileco	Monsum® 11	3650 day	87600	240	Edit Delete
Light Strip	Philips	Lightstrip Plus	3650 day	87600	240	Edit Delete

Emergency 2

- Water Leakage Alert 1 PCS
- Combustible Gas Leakage Alert 3 PCS


End of Life Notification

Lifespan Reset
Replacement

Zone	Light Source Type	Name	Device ID#	Remaining Lifespan (h)	Expected Lifespan (h)	Action
DEHO KIT/Building F.L.V.	DALEDM	Edit Reset Replace
DEHO KIT/Building F.L.V.	DALEDM	Edit Reset Replace
DEHO KIT/Building F.L.V.	DALEDM	DESDHAMER4002423...	Edit Reset Replace
DEHO KIT/Building F.L.V.	DALEDM	Edit Reset Replace
DEHO KIT/Building B.C.L.B.	DALEDM	DESDHAMER40027023...	Edit Reset Replace

Key Features | Predictive Maintenance

Sympho link




Emergency Battery Device Failure Notification

Reports: Analyse Test History

Serial Number	Test Type	Start Time	End Time	Test Results
1	Functional Testing	2022-08-05 13:33:22	2022-08-05 15:24:00	Controller Failure - Battery Damage
2	Functional Testing	2022-08-02 09:30:54	2022-08-02 16:51:05	Battery Damage
3	Functional Testing	2022-06-27 12:44:48	2022-06-27 15:24:00	Functional Test Timeout - Controller Failure - Battery Damage
4	Functional Testing	2022-06-09 08:35:38	2022-06-09 10:05:58	Controller Failure
5	Functional Testing	2022-05-26 11:06:16	2022-05-26 15:21:36	Controller Failure - Battery Endurance Fault
6	Functional Testing	2022-05-21 08:25:34	2022-05-21 16:10:40	Battery Damage
7	Functional Testing	2022-04-27 13:36:10	2022-04-27 13:56:07	Duration Test Failure
8	Functional Testing	2022-04-07 08:25:34	2022-04-07 13:28:10	Battery Damage
9	Functional Testing	2022-04-05 15:27:04	2022-04-05 16:58:14	Controller Failure

Scheduling the Functional Testing & Duration Testing




Key Features | Predictive Maintenance

Symphonik



Overall Status View In Real-time




Floor Level Detail

Key Features

Sympho link



Beyond Lighting Management



Unified Management Platform



Smart & Friendly Interface



Predictive Maintenance



Insightful Energy Dashboard

- Energy Consumption Statistics
- Space Utilization Statistics



Prompt Technical Support




Scalable System Design



Key Features | Insightful Energy Dashboard

Symphonik



Energy Consumption Statistics

- System Energy Consumption Statistics:
 - View total usage, savings, and carbon reduction.
- Floor Energy Consumption Statistics:
 - Monitor consumption by floor.
- Energy Analysis:
 - Track trends, emissions, peak/valley periods, and equipment efficiency.

Key Features | Insightful Energy Dashboard


Sympho link

Space Utilization Statistics



(Motion Sensor is Required)

- **Heat Map**
 - Access real-time and historical data on space usage.
- Seamless Navigation
 - View space utilization insights through Floor Monitoring.
- Data-Driven Optimization
 - Analyse trends to enhance efficiency and resource allocation.



Key Features

Sympho link



Beyond Lighting Management



Unified Management Platform



Smart & Friendly Interface



Predictive Maintenance



Insightful Energy Dashboard



Prompt Technical Support

- Effortless Upgrades with Endless Potential



Scalable System Design

Key Features | Prompt Technical Support

Symphonik

The screenshot displays the Symphonik web interface. The top navigation bar includes Home, Floor, Schedule, Configuration, and System Setting. A modal window titled 'About System' is open, showing the Symphonik logo and '1.0.0 Version'. Below this, the 'System Setting' page is visible, featuring a sidebar with various management options. The 'Device Update' section is highlighted, showing a 'Version Distribution' and 'Upgrade File List' for 'DALI DIM 8PCS'. A donut chart indicates that 8 devices are at version 66.0, representing 100% of the total device quantity. Below the chart is a table listing device details.

Serial Number	Device Name	ID	Zone	Software Version	Firmware Version	Gateway / Edge Node	Status
1	DALI DIM	0657304AB1E84C573E3...	Building BC LB A&E	66.0	-	0205F2EC2A17/edge_91...	Offline
2	DALI DIM	0657304AB1E84C58433...	-	66.0	-	0205F2EC2A17/edge_91...	Offline
3	DALI DIM	0657304AB1E84C58473...	Building F L1 OPEN OFFICE	66.0	-	0205F2EC2A17/edge_91...	Offline
4	DALI DIM	0657304AB1E84C58723...	-	66.0	-	0205F2EC2A17/edge_91...	Offline

Effortless Upgrades with Endless Potential

- **Always Up-to-Date**
 - Latest software and firmware updates will be available for improved performance and new features.
- **Smart Version Control**
 - With ensured compatibility, track and verify updates for reliable system performance across all connected devices.

Key Features

Sympho link



Beyond Lighting Management



Unified Management Platform



Smart & Friendly Interface



Predictive Maintenance



Insightful Energy Dashboard



Prompt Technical Support



Scalable System Design

- Multiple Deployment Methods
- Multi-site Monitoring

Key Features | Scalable System Design

Sympho link



Single-site use, on-premises deployment, stable, safe, and reliable



Unified management of multiple projects, private cloud deployment

Key Features | Scalable System Design

Sympholink

Sympholink
Output Device



Status, Time,
Energy Consumption,
Power

Sympholink
Input Device



Status, Time,
Sensor Data

Sympholink
Gateway

Ethernet



Responding and
Synchronizing Data

Network
Switches



Private Cloud
Server



Data Storage

Internet



Managing and
Monitoring Devices

On-Premise
Server



Data Storage

Ethernet


Ethernet

Sympholink System Architecture



System Architecture

SymphoLink



Integration and Data Display

Data Computing and Storage

Data Transmitting

Control & Data Collection

Note: Protocols marked with an asterisk (*) are coming soon.



Intelligent Illumination for
a **Connected, Sustainable, and Adaptive** Future

Contact us

Global Headquarters

Traxon Technologies Ltd
Room 113, 1/F, Wireless Centre, 3
Science Park East Avenue, Hong Kong
Science Park, Shatin, Hong Kong
Phone: +852 2943 3488
hk@traxon-ecue.com

Europe Headquarters

Traxon Technologies Europe GmbH
Karl-Schurz-Strasse 38
Paderborn, Germany 33100
Phone: +49 5251 5464816
europe@traxon-ecue.com
ecuesupport@traxon-ecue.com

North America Headquarters

Traxon Technologies LLC
2915 Whitehall Park Drive
Suite 400
Charlotte, NC 28273
Phone: +1 (978) 267-5346
americas@traxon-ecue.com

ASEAN Headquarters

United Square Office Tower
101 Thomson Road,
#06-620,
Singapore 307591
asean@traxon-ecue.com

Traxon Technologies Malaysia Sdn Bhd

PT207, Level 4, Uptown 7, Jalan SS 21/39,
Damansara Utama, 47400 Petaling Jaya,
Selangor, Malaysia
Tel: +60-12 456 0263
malaysia@traxon-ecue.com

Traxon Technologies Korea Ltd

Regus, Room 508, HQ Point 23 Center, 12-
13, Gwancheol-dong, Jongno-gu, Seoul
Tel: +82 10 7358 0223
southkorea@traxon-ecue.com

Traxon Technologies (Thailand) Co., LTD

No. 319 Chamchuri Square Building, 24th
Floor, Room No. 24052, Phayathai Road,
Kwaeng Pathumwan, Khet Pathumwan,
Bangkok
Tel: +66 20072163
thailand@traxon-ecue.com

PT Traxon Technologies Indonesia

DBS Tower 28 Floor, no. 2883, Ciputra
World One, Jalan Prof. Dr. Satrio Kav 3-5,
Jakarta 12940, Indonesia
Tel: +62 8111622744
indonesia@traxon-ecue.com

China Headquarters

Traxon Lighting Company Limited

Room B402-B421, Building 6, Shenjiu
Science and Technology Pioneer Park,
Fubao Community, Fubao Street, Futian
District, Shenzhen, Guangdong, China
Tel: +86 755 83198810
china@traxon-ecue.com

Shanghai Traxon Lighting Co Ltd.

Unit 2804-05, Ganglu Square, 18 Xizang
Middle Road, Huangpu District, Shanghai,
China
Tel: +86 400 882 1836
china@traxon-ecue.com

Traxon Lighting Co Ltd. Foshan Branch

No. 01-10, 9th Floor, Foshan Qianhai Life
Insurance Financial Center, No. 8, Junlan
Road, Shunde District, Foshan City,
Guangdong Province, China
Tel: +86 400 882 1836
china@traxon-ecue.com

Beijing Traxon Lighting Co Ltd

2103, Block A, Rongke Wangjing Center,
Chaoyang District, Beijing, China
Tel: +86 400 882 1836
china@traxon-ecue.com

Middle East & India Headquarters

Traxon Technologies MEA FZE

DSO-HQ-E2-206, Dubai Silicon
Oasis, HQ Building, Dubai, UAE
Phone: +971 45231777
mea@traxon-ecue.com

Ecue Lighting India Private Limited

113 Prestige Pinnacle,
Koramangala 7th Block, Bengaluru,
India – 560095
Tel: +91 80 46462000
india@traxon-ecue.com

Sympho link

Thank you